

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
ARRESTOR, WATER HAMMER	2119-010	AI BOILER, WATER FEED	44.00
BATTERY, K200i DOCK	3180-11	BATTERY, K200i DOCK	5.00
BATTERY, K200i REMOTE	3180-03	BATTERY, K200i REMOTE CONTROL	47.00
BRACKET, MOUNTING K60, KT60 CONTROL	8227-02	K60, KT60 CONTROL MOUNTING BRACKET	15.00
CABLE, AX, CONTROL A3/A6/PURE/ELITE, 50' 4-PIN CAT-5	5304-027	A3, A6, PURE 2.0, ELITE CONTROL CABLE 50'	49.00
CABLE, AX, ADAPTOR, PAL PCA - TEMP SENSOR CABLE	5304-042	AX (ADAPTOR CABLE TO CONNECT TEMP SENSOR CABLE TO PAL PCA)	12.00
CABLE, AX, MULTI-UNIT INTERCONNECT 12' 4-PIN CAT-5	5304-030	AX (MULTI-UNIT INTERCONNECT CABLE)	5.00
CABLE, AX, PAL PCA - ELEMENT PCA 10" 8-PIN RJ45	5304-025	AX (CABLE TO CONNECT PAL PCA TO ELEMENT PCA)	8.00
CABLE, AX, ROUGH-IN (CONTROL & SENSOR CABLE)	8855-136	AX ROUGH-IN (CONTROL & SENSOR CABLE)	47.00
CABLE, IT1, I60, REFRESH, R30i (BULK / PER FT) 3 COND	5890-08	AI BOILER - IT1, I60, REFRESH, R30i	1.00
CABLE, IT1, I60, REFRESH, R30i, 3 COND 25'	5331-12	AI BOILER - IT1, I60, REFRESH, R30i	37.00
CABLE, IT1, I60, REFRESH, R30i, 3 COND 50'	5331-14	AI BOILER - IT1, I60, REFRESH, R30i	60.00
CABLE, IT1, I60, REFRESH, R30i, 3 COND 100'	5331-16	AI BOILER - IT1, I60, REFRESH, R30i	113.00
CABLE, KT60, K60, R30K CONTROL, AG, 8-PIN 25'	5304-031	KT60, K60, R30K CONTROL CABLE	28.00
CABLE, KT60, K60, R30K CONTROL, AG, 8-PIN 100'	5304-061	KT60, K60, R30K CONTROL CABLE	68.00
CABLE, LEVEL PROBE, AI BOILER, 3 COND 22"	5331-13	22" 3-CONDUCTOR AI BOILER LEVEL PROBES	35.00
CABLE, T100 CONTROL 8-PIN SHIELDED 25'	5304-07	T100 CONTROL CABLE 25'	28.00
CABLE, T100 CONTROL 8-PIN SHIELDED 100'	5304-08	T100 CONTROL CABLE 100'	68.00
CABLE, TEMP SENSOR, 25'	5331-10	AK, AT, AX, 3K, 3T, AI BOILER TEMP SENSOR CABLE 25'	28.00
CABLE, TEMP SENSOR, 50'	5331-11	AK, AT, AX, 3K, 3T, AI BOILER TEMP SENSOR CABLE 50'	38.00
CABLE, TEMP SENSOR, 100'	5331-15	AK, AT, AX, 3K, 3T, AI BOILER TEMP SENSOR CABLE 100'	56.00
COUPLER, EXTENSION FxF 4-PIN RJ22	2311-060	ELITE, PURE 2.0 4-PIN CABLE EXTENSION	8.00
COUPLER, EXTENSION FxF 8-PIN	2311-10	AK, 3K 8-PIN CABLE EXTENSION	11.00
COUPLER, EXTENSION FxF 8-PIN "SHIELDED"	2311-11	AT, 3T 8-PIN SHIELDED CABLE EXTENSION	23.00
COUPLER, EXTENSION FxF, SENSOR CABLE	2311-14	AK, AT, AX, 3K, 3T, AI BOILER SENSOR CABLE EXTENSION	29.00
CIRCUIT BREAKER, 1A, 250V, PANEL MOUNT	3120-06	AX STEAMER	14.00
CIRCUIT BREAKERS T13- 2A	3100-593	R1, R3, CB7-1, CB7-3, MR1, CB6-1 CONTACTORS, DESIGNER "S" HEATERS	48.00
CLAMP, HOSE, SELF TIGHTENING	1301-07	WATER INLET HOSE CLAMP TO VALVE - ALL STEAMERS	0.60
CLAMP, HOSE, WORM DRIVE	1301-06	WATER INLET HOSE CLAMP TO TANK - ALL STEAMERS	1.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
CLOCK, TIME, DIGITAL, D24/7, 120V	9226-19	24/7 DIGITAL CLOCK FOR ALL 208V, 240V & 480V AI BOILERS	250.00
CLOCK, TIME, DRAIN, 24 HR, 120V	9226-16	24 HR, 1 DAY, DRAIN CLOCK FOR ALL 208V, 240V & 480V AI BOILERS	140.00
CLOCK, TIME, RUN, 24/7, 120V	9226-15	24/7 RUN CLOCK FOR ALL 208V, 240V & 480V AI BOILERS	140.00
CONTROL, A3 TIME/TEMP	9126-030	A3 CONTROL FOR AX STEAMERS	300.00
CONTROL, A6 TOUCH SCREEN	9126-020	A6 CONTROL FOR AX STEAMERS- RECESS MOUNT KIT-CHROME TRIM #8860-101	800.00
CONTROL, ELITE TOUCH SCREEN	9126-051	ELITE CONTROL FOR AX STEAMERS- RECESS MOUNT KIT-BLACK TRIM #8860-200	800.00
CONTROL, PURE 2.0 TIME/TEMP	9126-044	PURE 2.0 CONTROL FOR AX STEAMERS- RECESS MOUNT KIT- BLACK TRIM #8860-200	300.00
CONTROL, I60, 60 MINUTE TIMER	9208-314	I60 TIMER CONTROL FOR AI BOILERS	113.00
CONTROL, IT1, THERMOSTAT	9206-10	THERMOSTAT CONTROL FOR AI BOILERS	182.00
CONTROL, IT1-M, THERMOSTAT	9206-101	THERMOSTAT CONTROL FOR AI BOILERS	182.00
CONTROL, K60, (CP,WH,BN,PN) (2004-Current)	9100-180	K60 CONTROL (EXCLUDES BRACKET, CABLE & COVER)	239.00
CONTROL, K60, (PB,PG,ORB) (2004-Current)	9100-190	K60 CONTROL (EXCLUDES BRACKET, CABLE & COVER)	239.00
CONTROL, KT60 (CP,WH,BN,PN)	9110-180	KT60 CONTROL W/ BUILT IN TEMPERATURE SENSOR (EXCLUDES BRACKET, CABLE & COVER)	251.00
CONTROL, KT60 (PB,PG,ORB)	9110-190	KT60 CONTROL W/ BUILT IN TEMPERATURE SENSOR (EXCLUDES BRACKET, CABLE & COVER)	251.00
CONTROL, PCA - R30K (ALL FINISHES)	3115-211	R30K , PCA AND TOUCHPAD ONLY	38.00
CONTROL, PCA - R30i (ALL FINISHES)	3115-111	R30i, PCA AND TOUCHPAD ONLY	53.00
CONTROL, R30i-CP , WARM START-CP	9208-31	R30i OR WARM START CONTROL ONLY W/CHROME TRIM	92.00
CONTROL, R30K-CP	9140-101	R30K CONTROL ONLY W/CHROME TRIM	92.00
CONTROL, REFRESH SWITCH	9208-313	IDS REFRESH CONTROL FOR AI BOILER	92.00
CONTROL, REMOTE, BLUE CUBE	9252-053	REMOTE CONTROL BLUE CUBE MEDIA PLAYER	176.00
CONTROL, REMOTE, IPOD DOCK	9252-218	REMOTE CONTROL IPOD DOCK	176.00
CONTROL, T100	8050-011	T100 CONTROL FOR AT/3T STEAMERS	785.00
COVER PLATE, I60 TIMER CONTROL	4000-51	COVER PLATE, I60 TIMER CONTROL FOR AI BOILER	22.00
COVER PLATE, IT1 THERMOSTAT	4000-50	COVER PLATE, IT1 THERMOSTAT CONTROL FOR AI BOILER	22.00
COVER PLATE, K60/KT60, BB	8037-28	K60 & KT60 CONTROL COVER, BRUSHED BRONZE	63.00
COVER PLATE, K60/KT60, BN	8037-08	K60 & KT60 CONTROL COVER, BRUSHED NICKEL	45.00
COVER PLATE, K60/KT60, CP	8037-03	K60 & KT60 CONTROL COVER, CHROME	45.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
COVER PLATE, K60/KT60, MB	8037-29	K60 & KT60 CONTROL COVER, MATTE BLACK	45.00
COVER PLATE, K60/KT60, ORB	8037-27	K60 & KT60 CONTROL COVER, OIL RUBBED BRONZE	63.00
COVER PLATE, K60/KT60, PN	8037-07	K60 & KT60 CONTROL COVER, POLISHED NICKEL	45.00
COVER PLATE, SC-60	8241-191	SC-60 CONTROLS	49.50
COVER PLATE, SC-9	8241-161	SC-9 CONTROLS	49.50
COVER PLATE, SC-CLUB	8241-190	SC-CLUB CONTROLS	49.50
COVER, TRIM RING, ELITE/PURE 2.0, BB	8038-238	ELITE/PURE 2.0 CONTROL TRIM, BRUSHED BRONZE	38.00
COVER, TRIM RING, ELITE/PURE 2.0, BN	8038-236	ELITE/PURE 2.0 CONTROL TRIM, BRUSHED NICKEL	34.00
COVER, TRIM RING, ELITE/PURE 2.0, CP	8038-231	ELITE/PURE 2.0 CONTROL TRIM, CHROME	21.00
COVER, TRIM RING, ELITE/PURE 2.0, MB	8038-239	ELITE/PURE 2.0 CONTROL TRIM, MATTE BLACK	34.00
COVER, TRIM RING, ELITE/PURE 2.0, ORB	8038-237	ELITE/PURE 2.0 CONTROL TRIM, OIL RUBBED BRONZE	38.00
COVER, TRIM RING, ELITE/PURE 2.0, PN	8038-235	ELITE/PURE 2.0 CONTROL TRIM, POLISHED NICKEL	34.00
COVER, TRIM RING, R30i/R30K, BB	8038-08	R30i, R30K CONTROL TRIM, BRUSHED BRONZE	38.00
COVER, TRIM RING, R30i/R30K, BN	8038-06	R30i, R30K CONTROL TRIM, BRUSHED NICKEL	34.00
COVER, TRIM RING, R30i/R30K, CP	8038-01	R30i, R30K CONTROL TRIM, CHROME	21.00
COVER, TRIM RING, R30i/R30K, MB	8038-09	R30i, R30K CONTROL TRIM, MATTE BLACK	34.00
COVER, TRIM RING, R30i/R30K, ORB	8038-07	R30i, R30K CONTROL TRIM, OIL RUBBED BRONZE	38.00
COVER, TRIM RING, R30i/R30K, WH	8038-04	R30i, R30K CONTROL TRIM, WHITE	15.00
DEFLECTOR, 1-SIDED, COMFORT FLO	1125-01	DEFLECTOR FOR COMFORT FLO STEAM HEAD	4.00
DEFLECTOR, 2-SIDED, COMFORT FLO	1125-02	DEFLECTOR FOR COMFORT FLO STEAM HEAD	4.00
DE-SCALER, 4 LB CONTAINER	2136-114	DE-SCALER FOR CLEANING STEAM TANKS	109.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
ELEMENT, BOILER , 12,000W, 208V	3005-512	AI12 (1), AI30 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	342.00
ELEMENT, BOILER , 12,000W, 240V	3005-612	AI12 (1), AI30 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	342.00
ELEMENT, BOILER , 12,000W, 480V	3005-812	AI12 (1), AI30 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	342.00
ELEMENT, BOILER , 18,000W, 208V	3005-518	AI18 (1), AI30 (1), AI36 (2), AI42 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, BOILER , 18,000W, 240V	3005-618	AI18 (1), AI30 (1), AI36 (2), AI42 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, BOILER , 18,000W, 480V	3005-818	AI18 (1), AI30 (1), AI36 (2), AI42 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, BOILER , 24,000W, 208V	3005-524	AI24 (1), AI42 (1) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, BOILER , 24,000W, 240V	3005-624	AI24 (1), AI42 (1), AI48 (2) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, BOILER , 24,000W, 480V	3005-824	AI24 (1), AI42 (1), AI48 (2) (ADD 8855-105 GASKET KIT \$29 OR 2130-10 GASKET ONLY \$11)	353.00
ELEMENT, SAUNA , 1500W 208V	3001-711	PROFESSIONAL / LAVA 10.5(3) 208V	88.50
ELEMENT, SAUNA , 1500W 240V	3001-701	DESIGNER 4.5(3), DIGITAL 4.5(3) 240V	76.00
ELEMENT, SAUNA , 1500W 240V	3001-712	PROFESSIONAL / LAVA 10.5(3) 240V	100.50
ELEMENT, SAUNA , 2000W 208V	3001-709	PROFESSIONAL / LAVA 10.5(3), 12.0(6) 208V	100.50
ELEMENT, SAUNA , 2000W 240V	3001-703	DESIGNER 6.0(3), DIGITAL 6.0(3), STEAMY 6.0(3), MISTY 6.0(3)	88.50
ELEMENT, SAUNA , 2000W 240V	3001-710	PROFESSIONAL / LAVA 10.5(3), 12.0(6) 240V	100.50
ELEMENT, SAUNA , 2400W 208V	3001-707	PROFESSIONAL / LAVA 14.4(6) 208V	112.00
ELEMENT, SAUNA , 2500W 240V	3001-708	PROFESSIONAL / LAVA 14.4(6) 240V	112.00
ELEMENT, SAUNA , 2670W 208V	3001-706	DESIGNER 8.0(3), DIGITAL 8.0(3) 208V	100.50
ELEMENT, SAUNA , 2670W 240V	3001-705	DESIGNER 8.0(3), DIGITAL 8.0(3), STEAMY 8.0(3), MISTY 8.0(3)	100.50
ELEMENT, STEAM , 1500W 240V	3003-001	AK/AX4.5 240V(3)	26.00
ELEMENT, STEAM , 2000W 240V	3003-01	AR4(2), AK4(2), AK/AX4.5 208V(3), AK/AX6 240V(3)	31.00
ELEMENT, STEAM , 2500W 240V	3003-02	AK5(2), AT5(2), AC5(2), AR5(2), AK/AX7.5 240V(3), AK/AX6 208V(2)	38.00
ELEMENT, STEAM , 3000W 240V	3003-11	AR6(2), AK6(2), AK/AX7.5 208V(1), AK/AX6 208V(1), AK/AX9 240V(3)	41.00
ELEMENT, STEAM , 3500W 240V	3003-03	AK7(2), AT7(2), AC7(2), AR7(2), AK8.5(1), AR8.5(1), 3K8(3), 3T8(3), 3K10(1), AG7(2), 3G8(3), AK/AX7.5 208V(2), AK/AX11 240V(2)	41.00
ELEMENT, STEAM , 4000W 240V	3003-12	AK12(3), AT12(3), AT14(1), AK/AX11 240V(1), AK/AX14 240V(1), AK/AX9 208V(3)	44.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
ELEMENT, STEAM , 5000W 208V	3003-25	3K14 (2), 3T14(2), 3G14(2), AK/AX14 208V(2)	44.00
ELEMENT, STEAM , 5000W 240V	3003-10	AK10(2), AT10(2), AC10(2), AK8.5(1), AR8.5(1), AR10(2) AG10(2), 3K10(2), 3T10(2), 3K12(3), 3T12(3), 3G12(3), AT14(2), 3K14 (1), 3T14(1), 3G14(1), AK/AX11 208V(3), AK/AX14 208V(1), AK/AX14 240V(2)	44.00
FILTER REPLACEMENT CARTRIDGES, ASX120	9209-042	FILTER CARTRIDGES, ASX120	200.00
FILTER REPLACEMENT CARTRIDGES, ASX200	9209-051	FILTER CARTRIDGES, ASX200	260.00
FUSE HOLDER, AI BOILER	2111-03	AI BOILERS	8.00
FUSE, 1/16A, 250V SLOW BLOW	3100-13	AV2, STEAMPRO 120	1.00
FUSE, 15AMP, IPOD DOCK	3100-08	IPOD DOCK	3.00
FUSE, 1AMP 250V 3AG	3100-06	AK (1992-2017), AT, AG, 3K, 3T, 3G	0.70
FUSE, 1AMP 250V FAST BLOW 5MM	3100-07	AK (BUILT AFTER 3/17)	0.70
FUSE, 1OOMA 250V SLOW BLOW	3100-10	AK (1999-2017), AT, AG, 3K, 3T, 3G, AI BOILER	1.00
FUSE, 1OOMA 250V SLOW BLOW 5MM	3100-11	AK (BUILT AFTER 3/17)	1.00
FUSE, 3A 250V AI BOILER	3100-14	AI BOILERS	0.70
FUSE, 4AMP 250V SLOW BLOW, IPOD AMP	3100-09	IPOD AMP	3.00
GASKET KIT, ELEMENT, AI BOILER	8855-105	GASKET KIT USED WITH ALL AI BOILER REPLACEMENT ELEMENTS	29.00
GASKET, ELEMENT, AI BOILER	2130-10	GASKET, ELEMENT, AI BOILERS	11.00
GASKET, ELEMENT, STEAMER	2130-02	AK, AX, AT, AG, 3K, 3T, 3G	0.40
GASKET, TRIPLE LEVEL PROBE (SHORT)	2130-06	AK, AX, AT, AG, 3K, 3T, 3G	4.00
GASKET,O-RING, ASX	2139-15	O-RING GASKET FOR ASX100 & ASX200	9.00
GAUGE, SITE GLASS ASSEMBLY, INCLUDES 1/2" VALVES	2124-01	AI BOILERS, SITE GLASS ASSEMBLY	153.00
GAUGE, PRESSURE, 1/4 NPT, REAR MOUNT	2124-06	AI BOILER, PRESSURE GAUGE	23.00
HI-LIMIT SWITCH, 140-6 DEG.C	3119-550	PROFESSIONAL / OCTA / LAVA 10.5,12.0,14.4	116.00
HI-LIMIT SWITCH, 120-10 DEG.C	3119-510	DESIGNER "S", "B", "DIGITAL", "TREND", MISTY/ STEAMY	157.00
HI-LIMIT SWITCH, 150-12 DEG.C	3119-509	DESIGNER "T", "FONDA" / "VENA"	157.00
HOSE, FRAGRANCE PUMP (SQUEEZE TUBE)	5011-05	SQUEEZE TUBE, FRAGRANCE PUMP	21.00
HOSE, FRAGRANCE PUMP CLEAR,1/4IN OD, (BULK / FT)	5050-11	INJECTION TUBING, FRAGRANCE PUMP	0.80
HOSE, WATER INLET (1.75" LONG x 3/8"ID)	5050-12	AK / AX STEAMERS (BUILT AFTER 2000)	3.00
INSULATION, BLANKET (2 ELEMENT TANK)	2995-15	ALL 2 ELEMENT STEAMERS	27.00
INSULATION, BLANKET (3 ELEMENT TANK)	2995-17	ALL 3 ELEMENT STEAMERS	27.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
INSULATOR, STM HD "COMFORT FLOW" 1/2"	8034-17	STEAM HEAD INSULATOR "COMFORT FLOW" 1/2"	21.00
INSULATOR, STM HD "COMFORT FLOW" 3/4"	8034-18	STEAM HEAD INSULATOR "COMFORT FLOW" 3/4"	21.00
KEY, HEX 1/8" STM HD	2170-04	HEX KEY FOR STEAM HD INSTALLATION	0.50
KNOB, THERMOSTAT, IT1	2140-12	IT1 THERMOSTAT, AI BOILER	9.00
KNOB, THERMOSTAT, MS60A, C102A, C103A...	2140-10	AS100, C102A, C103A, C104A, C105A, MS60A, WC1.7,2.5,5.0	11.00
KNOB, THERMOSTAT, SC-60, SC-9, SC-CLUB, C103-60, C103-9, C105-P	2140-653	C103-60, C103-9, C105-P, SC-60, SC-9, SC-CLUB CONTROLS	11.50
KNOB, THERMOSTAT, SLIMLINE / MINI	2140-577	MINI 2.1, 3.0, SLIMLINE 2.1, 3.0	11.50
KNOB, TIMER, SC-60, SC-9, C103-60, C103-9	2140-579	C103-60, C103-9, SC-60, SC-9, STEAMY/ SM CONTROLS	11.50
KNOB, TIMER, SLIMLINE / MINI	2140-575	MINI 2.1, 3.0, SLIMLINE 2.1, 3.0	11.50
KNOB, TIMER/THERMOSTAT, DESIGNER "B"	2140-653	DESIGNER "B"	11.50
LIGHT, LED, CHROMA+WHITE 12V WEDGE BASE	3160-77	LIGHT REPLACEMENT FOR CHROMA/WHITE LIGHTING	171.00
LIGHT, LED, "WHITE", 12V PIN BASE	3160-73	LIGHT REPLACEMENT FOR "WHITE ONLY" LOW VOLTAGE LIGHTING	78.00
LIGHT, INDICATOR 120/240V	3140-506	DESIGNER B HEATER, C103-60, C103-9, C105P, SC-60, SC-9, SC-CLUB CONTROLS	12.50
LIGHT, INDICATOR, NEON, 120 VAC, 3/8 RED	3161-03	AI BOILERS	8.00
PCA, AG, 3G STEAMERS	3222-232	PCA, AG & 3G STEAMERS	223.00
PCA, AI BOILER, 120V	3241-053	AI BOILER (BUILT MAY 2007 - MAR 2018)	342.00
PCA, AI BOILER, 120-240V (INTREGAL LWCO)	3241-052	AI BOILER (BUILT AFTER MARCH 2018)	342.00
PCA, AI BOILER, INTERFACE T100B	3228-011	AI BOILER WITH T100B CONTROL	85.00
PCA, AK, VERTICAL MOUNT (AK4.5, AK7.5, AK11, AK14)	3224-032	PCA, AK (BUILT AFTER 3/17)	315.00
PCA, AK, 3E (AK/3K BUILT BEFORE 03/17)	3224-022	PCA, 3E, (AK/3K BUILT BEFORE 03/17)	319.00
PCA, AT/3T, 3E (AT/3T MODELS)	3227-122	PCA, AT/3T MODELS	274.00
PCA, AX, PAL (POWER & LEVEL CONTROL)	3229-012	PCA, PWR & LEVEL, (AX MODELS)	326.00
PCA, AX, RELAY (ELEMENT RELAY)	3229-032	PCA, ELEMENT RELAY, (AX MODELS)	146.00
PLATE MCP, "CAUTION"	4020-100	CAUTION: TO AVOID FIRE, SAUNA	16.50
PLATE MWP, "WARNING"	4020-200	WARNING: DO NOT EXCEED, SAUNA	16.50
PLATE, ROUGH-IN, K30, K60, KT60	4000-24	K60 & KT60 SWITCH, ROUGH-IN	9.00
PLATE, ROUGH-IN, R30K	4000-23	R30K SWITCH, ROUGH-IN	9.00
PROBE, WATER LEVEL, (TRIPLE PROBE)	3190-04	AK, AT, AX, AR, AG, 3K , 3G	49.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
PROBE, WATER LEVEL, AI BOILER, 6.25" SHORT	3190-331	AI BOILER, 6.25" SHORT (RED)	110.00
PROBE, WATER LEVEL, AI BOILER, 7.50" MEDIUM	3190-341	AI BOILER, 7.50" MEDIUM (WHITE)	110.00
PROBE, WATER LEVEL, AI BOILER, 8.50" LONG	3190-351	AI BOILER, 8.50" LONG (BLACK)	110.00
PUMP, FRAG INJECTION, SEKO	3174-01	FRAGRANCE INJECTION PUMP - STEAMERS	353.00
PUMP, FRAG INJECTION, KEMITRON	3174-051	FRAGRANCE INJECTION PUMP - BOILER	1,157.00
PUMP DOSING HEAD, FRAG INJECT, KEMITRON	2025-248	FRAGRANCE INJECTION PUMP - BOILER	410.00
PUMP INJECTION NOZZLE, FRAG INJECT, KEMITRON	2025-250	FRAGRANCE INJECTION PUMP - BOILER	51.00
RELAY, CONTACTOR, 240V, 20A, 4P	3131-517	DESIGNER MODELS - 240V COIL 20A 4 POLE POWER CONTACTOR	121.00
RELAY, CONTACTOR, 120V, 50A, 3P	3130-06	AI BOILER, CB7-3, R153,W,E,F - 120V COIL 50A 3 POLE POWER CONTACTOR	121.00
RELAY, CONTACTOR, 120V, 50, 4P	3130-05	R1, CB7-1, R15,F15 - 120V COIL 40A 4 POLE POWER CONTACTOR	125.50
RELAY, CONTACTOR, 240V, 50A, 3P	3131-05	3R120 208/240VCOIL 50A 3 POLE POWER CONTACTOR	125.50
SCREWS, MOUNTING BRACKET K60, KT60	1021-13	K60, KT60 MOUNTING BRACKET SCREWS 6/32 X 3"	0.80
SENSOR, SIMULATOR 100K	9302-06	AI BOILER PCA SENSOR SIMULATOR	34.00
SENSOR, TEMPERATURE 10K (BLACK)	9302-02	AX, AT, 3T, AI BOILER w/T100 TEMPERATURE SENSOR	81.00
SENSOR, TEMPERATURE 10K (WHITE)	9302-026	AX, AT, 3T, AI BOILER w/T100 TEMPERATURE SENSOR	81.00
SENSOR, TEMPERATURE 100K (BLACK)	9302-01	AK, 3K, AI BOILER TEMPERATURE SENSOR	81.00
SENSOR, TEMPERATURE 100K (WHITE)	9302-016	AK, 3K, AI BOILER TEMPERATURE SENSOR	81.00
SENSOR, TEMPERATURE OLEA-7	9301-150	ALL SC & DC60 CONTROLS	57.50
SENSOR, TEMPERATURE OLEA-9	9301-152	STEAMY, MISTY MC-9, SM CONTROLS, DIGI VII	38.00
SENSOR, WARM START 10K w/ TANK CLIP	8855-139	AX TANK TEMP SENSOR	93.00
SENSOR, WARM START 100K	9302-05	AK, 3K TANK TEMP SENSOR	93.00
SWITCH, ON/OFF I60, AI BOILER	3121-02	ON/OFF SWITCH FOR I60	23.00
SWITCH, LWCO, w/PROBE, MANUAL RESET	3118-05	AI BOILER - LOW WATER CUT-OFF	500.00
SWITCH, PRESSURE (HONEYWELL MANUAL RESET)	3120-15	AI BOILER	311.00
SWITCH, PRESSURE (ASCO)	3120-10	AI BOILER	311.00
SWITCH, ROCKER (LIGHT)	3111-500	C103-60, C103-9, C105-P, SC-60, SC-9, SC-CLUB	20.50
SWITCH, ROCKER (ON/OFF)	3111-510	C105-P, SC-CLUB	28.00
SWITCH, ROCKER, AI BOILER	3121-01	AI BOILER	8.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
TANK, 2 ELEMENT STMR	8100-25	ALL 2 ELEMENT STMRS (BUILT AFTER 1999)	294.00
TANK, 3 ELEMENT STMR	8100-26	ALL 3 ELEMENT STMRS (BUILT AFTER 1999)	304.00
TERMINAL BLOCK, 2-POS AR/AK	2100-04	AK, AG, AM & AR (BUILT 1999-2017)	5.00
TERMINAL BLOCK, 2-POS AI BOILER CNTRL & AX/AK DRAIN	2100-09	AI BOILERS, AX & AK (BUILT AFTER 3/17)	4.00
TERMINAL BLOCK, 3-POS 3K/3G	2100-06	3K, 3G, 3M	9.00
TERMINAL BLOCK, 4-POS AK12, AK14	2100-07	AK12, AK14	9.00
TERMINAL BLOCK, 9-POS AX/AK PWR SUPPLY	2100-19	AX & AK MODELS (BUILT AFTER 3/17)	16.00
TERMINAL BLOCK, 10-POS AX OPTIONS	2100-10	AX MODELS	9.00
TERMINAL BLOCK, AI BOILER MAIN PWR	2100-11	AI30, AI36, AI42, AI48	86.00
TERMINAL BLOCK, AI BOILER MAIN PWR	2100-12	AI12, AI18, AI24	61.00
TERMINAL BLOCK, JUMPER, COPPER, AX/AK PWR SUPPLY	2381-02	AX & AK MODELS (BUILT AFTER 3/17)	0.60
THERMOSTAT PCA, "C/SC -CONTROLS"	3210-270	C103-60, C103-9, C105-P, SC-60, SC-9, SC-CLUB	286.00
THERMOSTAT, 117" CAPILLARY, WC/WB HTRS	3155-04	WC5.2,6.7, WB 7.6,8.3,10	147.00
THERMOSTAT, DESIGNER "B"	3155-622	DESIGNER "B" HEATERS	121.00
THERMOSTAT, SLIMLINE & MINI	3155-620	SLIMLINE & MINI HEATERS	121.00
TIMER, 16 AMP 2P (120V) 60 MIN	3140-505	C103-60 & SC-60 CONTROLS	75.00
TIMER, 16 AMP 2P (120V) 60 MIN / 9HR DELAY	3140-502	C103-9, SC-9 CONTROLS, SLIMLINE , MINI HEATERS	109.00
TIMER, 16 AMP 2P (240V) 60 MIN / 9HR DELAY	3140-504	DESIGNER "B" HEATERS	121.00
VALVE, CHECK , WTR INLET ASSY, 1/2" NPT	2123-060	BOILER	77.00
VALVE, DRAIN, AUTO 1/2" NPT, NC, 240V	9210-105	AT, 3T	400.00
VALVE, DRAIN, AUTO 1/2" NPT, NO, 240V	9210-100	AR, AK, AC, AM, AG, 3K, 3M, 3G	400.00
VALVE, DRAIN, AUTO 3/4" NPT, NC, 120V	8855-06	BOILER, All 208V, 240V, 480V BOILERS	276.00
VALVE, DRAIN, AUTO 3/4" NPT, NC, 240V Effective 4/15	9210-205	AX , AT, 3T	400.00
VALVE, DRAIN, AUTO 3/4" NPT, NO, 240V Effective 4/15	9210-200	AK, AG, 3K, 3G	400.00
VALVE, DRAIN, MANUAL 1/2" NPT	2123-01	STEAMER w/ 1/2" DRAIN OUTLET	16.00
VALVE, DRAIN, MANUAL 3/4" NPT	2123-03	BOILER, STEAMER w/ 3/4" DRAIN OUTLET	27.00
VALVE, KIT, 10PSI 3/4" RELIEF & 3/4" BALL VALVE	8813-0605	AX MODELS & AK (BUILT AFTER 3/17)	71.00
VALVE, KIT, WATER INLET 1/4 NPT 120V (1/2"-1/4" RETRO)	8855-11	AI BOILER, 208V, 240V & 480V (PRE 4/13)	288.00
VALVE, PRESSURE RELIEF, 10 PSI	2120-02	ALL STEAMERS 10 PSI	41.00
VALVE, PRESSURE RELIEF, 15 PSI	2120-01	ALL BOILERS 15 PSI	43.00
VALVE, PRESSURE SWITCH ASSY, MANUAL 1/4" NPT	2123-02	BOILER, PRESSURE SWITCH ASSY	15.00
VALVE, SHUTOFF, ASX, MANUAL 1/2" NPT, PLASTIC	3172-01	ASX120 & ASX200 FILTER SYSTEM	56.00

PART DESCRIPTION	PART#	USE DESCRIPTION	LIST
VALVE, STEAM SOLENOID 3/4 NPT 120V	3173-22	BOILER, All 208V, 240V and 480V BOILERS	389.00
VALVE, STEAM SOLENOID 3/4 NPT 230V " EXPORT MODEL "	3173-23	BOILER, All 230V/415V " EXPORT " BOILERS	389.00
VALVE, WATER INLET 1/4 NPT 120V	3173-25	AI BOILER, All 208V, 240V and 480V BOILERS	256.00
VALVE, WATER INLET 1/4 NPT 230V " EXPORT MODEL "	3173-26	AI BOILER, All 230V/415V " EXPORT " BOILERS	256.00
VALVE, WATER INLET, 1/4 NPT 120V, AV2	3170-11	AV2	75.00
VALVE, WATER INLET, 1/4 NPT 240V, AR/3R	3170-01	OLD AR&3R MODELS 240V COIL, EXCEPT (AR40K)	49.00
VALVE, WATER INLET, 3/8" NPT 240V	3170-06	AK, AT, AX, AG, 3G, 3K, 3T, AR	44.00
WIRE ASSY, BLK 8.5" PCA PWR	5250-03	AK, AX, AG, 3K, 3G STEAMERS	3.00
WIRE ASSY, BLK/RED 8.5" PCA PWR	5250-04	AK, AX, AG, 3K, 3G STEAMERS	3.00
WIRE ASSY, ORANGE 18" ELEMENT PWR	5653-03	AK, AX, AG, 3K, 3G STEAMERS	7.00
WIRE ASSY, RED 17" ELEMENT PWR	5652-01	AK, AX, AG, 3K, 3G STEAMERS	7.00
WIRE ASSY, BLUE 19" ELEMENT PWR	5654-01	AX MODELS & AK (BUILT AFTER 3/17)	3.00
WIRE ASSY, RED 5" PWR INPUT (JUMPER WIRE)	5752-05	AX MODELS & AK (BUILT AFTER 3/17)	2.00
WIRE ASSY, RED 10" BOILER ELEMENT WIRES	5262-20	AI BOILER 12-48KW	3.00
WIRE ASSY, RED 17" BOILER PWR WIRES	5862-34	AI BOILER 12-24KW	4.00
WIRE ASSY, RED 21" BOILER PWR WIRES	5862-42	AI BOILER 30-48KW	4.00